

UL Product iQ™



ZPMV2.E135333 - Wiring, Printed - Component

Wiring, Printed - Component

See General Information for Wiring, Printed - Component

ELEPRINT SRL


E135333

Via Degli Artigiani 29

22050 Montecchia, Lc ITALY

Type	Cond Width		Cond Thk mic(mil)	SS/ DS/ DSO	Max	Solder		Max	Meets C		I
	Min	Min			Area	Limits	Oper	UL796	DSR		
	mm(in)	mm(in)			Diam mm(in)	C sec	Temp C	Class			
Multilayer printed wiring boards.											
EN	0.1 (0.004)	0.1 (0.004)	16.5 (0.65) Int:66	DS	50.8 (2.0)	274	15	120	V-0	All	*
EN3	0.07 (0.003)	0.07 (0.003)	16.5 (0.65) Int:105	DS	76.2 (3.0)	288	10	130	V-0	All	3
ENGL	0.12 (0.005)	0.36 (0.014)	16.5 (0.65) Int:69	DS	25.5 (1.0)	288	10	130	V-0	All	3
ENLF	0.07 (0.003)	0.07 (0.003)	16.5 (0.65) Int:69	DS	25.5 (1.0)	288	10	130	V-0	All	3
Single layer printed wiring boards.											
E	0.1 (0.004)	0.1 (0.004)	16.5 (0.65)	DS	50.8 (2.0)	274	15	120	V-0	All	*
E1	0.1 (0.004)	0.1 (0.004)	33 (1.30)	DS	38.1 (1.5)	260	10	130	V-0	All	3
E130	0.1 (0.004)	0.1 (0.004)	16.5 (0.65)	DS	50.8 (2.0)	260	10	130	V-0	All	*
E2	0.1 (0.004)	0.1 (0.004)	16.5 (0.65)	DS	50.8 (2.0)	260	10	130	V-0	All	1
E2LF	0.07 (0.003)	0.07 (0.003)	16.5 (0.65)	DS	25.5 (1.0)	288	10	130	V-0	All	1
EGL	0.12 (0.005)	0.36 (0.014)	16.5 (0.65)	DS	25.5 (1.0)	288	10	130	V-0	All	3
ELF, E130LF	0.07 (0.003)	0.07 (0.003)	16.5 (0.65)	DS	25.5 (1.0)	288	10	130	V-0	All	*

* - CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or trademark  or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

Last Updated on 2018-09-24

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions:

1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings).
2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"